


drjatorres@gmail.com | [Search History](#) | [My Account](#) | [Sign out](#)

[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)


[Advanced Search](#)
[Preferences](#)

WebResults 1 - 10 of about 60 for **fqpsk average correlator trellis**. (0.50 seconds)Did you mean: [dqpsk average correlator trellis](#)[\[PDF\] Performance Evaluation and Interpretation of Unfiltered Feher ...](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)In PSD roll-off could be had if the **FQPSK** cross-correlation mapping could be ...**FQPSK** waveform on the **average** likewise will have A slope discontinuity at ...fiji.jpl.nasa.gov/members/yan/137C.pdf - Supplemental Result - [Similar pages](#) - [Remove result](#)[\[PDF\] Detection techniques for enhanced FQPSK signals - Global ...](#)

File Format: PDF/Adobe Acrobat

symbol by symbol representation of the cross correlation oper-. ation. As a result, instead of the crosscorrelator of the conven-. tional **FQPSK**, the EFQPSK ...ieeexplore.ieee.org/iel5/ 7633/20832/00965197.pdf?arnumber=965197 - [Similar pages](#) - [Remove result](#)[\[PDF\] Performance of Coded OQPSK and MIL-STD SOQPSK With Iterative Decoding](#)

File Format: PDF/Adobe Acrobat

eight matched filters to generate a total of 16 **correlator** outputs,. as shown inFig. ... **FQPSK**-B receiver based on **trellis**-coded Viterbi demodulation," in ...ieeexplore.ieee.org/iel5/ 26/29784/01356200.pdf?arnumber=1356200 - [Similar pages](#) - [Remove result](#)[\[PDF\] Performance Evaluation and Interpretation of Unfiltered Feher ...](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)replacement of the conventional **FQPSK** cross-correlator by this modified cross-correlator that ... V. Interpretation of **FQPSK** as a **Trellis**-Coded Modulation ...dsp.jpl.nasa.gov/members/yan/137C.pdf - [Similar pages](#) - [Remove result](#)[\[PDF\] Quasi-Constant Envelope Modulations](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)the replacement of the conventional **FQPSK** cross-Correlator by this modified ...dom I and Q data symbol sequences, on the **average**, the transmitted **FQPSK** ...descanso.jpl.nasa.gov/Monograph/series3/chapter3.pdf - Supplemental Result - [Similar pages](#) - [Remove result](#)[EP1104604 Kamilo european software patent - Efficient spectral ...](#)unit 14.1 is the embodiment of a TCS processor for Time Constrained signals with or without Cross correlation implemented for **fqpsk** or FGMSK or fqam or FMSK ...gauss.ffii.org/PatentView/EP1104604 - 174k - Supplemental Result - [Cached](#) - [Similar pages](#) - [Remove result](#)[\[PDF\] Performance of Coded OQPSK and MIL-STD SOQPSK With Iterative Decoding](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)to the **average** matched filter (AMF) receivers For continuous- ... **FQPSK**-B receiverBased ON **trellis**-Coded Viterbi demodulation," in ...

140.98.193.112/iel5/26/29784/01356200. pdf?tp=&arnumber=1356200&isnumber=29784 - Supplemental Result -

[Similar pages](#) - [Remove result](#)[IEEE Communication Society Digital library](#)... power/bandwidth efficient coded **FQPSK** system with iterative decoding", ...Dariush Divsalar, Marvin K. Simon, "the design of **trellis** coded MPSK For ...

dl.comsoc.org/cocoon/comsoc/ servlets/GetPerson?id=441448 - 156k - Supplemental Result -

[Cached](#) - [Similar pages](#) - [Remove result](#)

[PDF] Proceedings, ITC/USA '02File Format: PDF/Adobe Acrobat - [View as HTML](#)by symbol representation of the cross **correlation** operation. As a result, instead of the crosscorrelator. of the conventional **FQPSK**, the EFQPSK can be ...telemetry.nmsu.edu/itc_02_19_1.pdf - [Similar pages](#) - [Remove result](#)**[doc] Chapter 2**File Format: Microsoft Word - [View as HTML](#)The cross **correlation** is done to obtain quasi-CAM characteristics. **FQPSK**의 ...7.9 **trellis** of viterbi decoder for convolutional coded **FQPSK-B** modulation. ...

sselab.kaist.ac.kr/~chori/wwwboard-3.0.1/ data/tmpstorage/ECC_20030323.doc - Supplemental Result -

[Similar pages](#) - [Remove result](#)Did you mean to search for: **dqpsk average correlator trellis**Try your search again on [Google Book Search](#)

Gooooooooogle ▶

Result Page: 1 2 3 4 5 6 **Next**

fqpsk average correlator trellis

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

drjatorres@gmail.com | [Search History](#) | [My Account](#) | [Sign out](#)

Google

[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

fqpsk average correlator

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 111 for **fqpsk average correlator**. (0.52 seconds)Did you mean: [dqpsk average correlation](#)[\[PDF\] Performance Evaluation and Interpretation of Unfiltered Feher ...](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)In PSD roll-off could be had if the **FQPSK** cross-correlation mapping could be ...**FQPSK** waveform on the **average** likewise will have A slope discontinuity at ...fiji.jpl.nasa.gov/members/yan/137C.pdf - Supplemental Result - [Similar pages](#) - [Remove result](#)[\[PDF\] CROSS-CORRELATED CORRELATIVE FQPSK MODULATION DOUBLES THE CAPACITY ...](#)

File Format: PDF/Adobe Acrobat

DJ-FQPSK. (A=1, X=0.5). Square. Root. (no. cross **correlation**). (A=1, X=S, d=.5)... vides an **average**. 51. dB advantage over coherent GMSK BT, ...ieeexplore.ieee.org/iel3/3677/10813/00501421.pdf?arnumber=501421 - [Similar pages](#) - [Remove result](#)[\[PDF\] Detection techniques for enhanced FQPSK signals - Global ...](#)

File Format: PDF/Adobe Acrobat

symbol by symbol representation of the cross **correlation** operation. As a result, instead of the crosscorrelator of the conventional **FQPSK**, the EFQPSK ...ieeexplore.ieee.org/iel5/7633/20832/00965197.pdf?arnumber=965197 - [Similar pages](#) - [Remove result](#)[\[More results from ieeexplore.ieee.org \]](#)[EP1104604 Kamilo european software patent - Efficient spectral ...](#)unit 14.1 is the embodiment of a TCS processor for Time Constrained signals with or without Cross **correlation** implemented for **fqpsk** or FGMSK or fqam or FMSK ...gauss.ffii.org/PatentView/EP1104604 - 174k - Supplemental Result - [Cached](#) - [Similar pages](#) - [Remove result](#)[\[PDF\] Performance Evaluation and Interpretation of Unfiltered Feher ...](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)replacement of the conventional **FQPSK** cross-correlator by this modified ...**FQPSK** waveform on the **average** likewise will have a slope discontinuity at ...dsp.jpl.nasa.gov/members/yan/137C.pdf - [Similar pages](#) - [Remove result](#)[\[PDF\] Modulation/microwave integrated digital wireless developments ...](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)1, there is NO **correlation** between. I. and Q and The original. **FQPSK** signal is obtained. ... GMSK, **FQPSK**, FBPSK. this difference in **average** to peak ...140.98.193.112/iel1/22/8938/00392946.pdf?tp=&isnumber=8938&arnumber=392946 - Supplemental Result - [Similar pages](#) - [Remove result](#)[\[PDF\] Performance of Coded OQPSK and MIL-STD SOQPSK With Iterative Decoding](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)similar to the one For **FQPSK** described in [17, Fig. 5] in both. structure and complexity. in addition, it is also similar in concept. to the **average** matched ...140.98.193.112/iel5/26/29784/01356200.pdf?tp=&arnumber=1356200&isnumber=29784 - Supplemental Result - [Similar pages](#) - [Remove result](#)[IEEE Communication Society Digital library](#)Marvin K. Simon, Mohamed-Slim Alouini, "**Average** bit error Probability performance... power/bandwidth efficient coded **FQPSK** system with iterative decoding", ...

dl.comsoc.org/cocoon/comsoc/servlets/GetPerson?id=441448 - 156k - Supplemental Result -

[Cached](#) - [Similar pages](#) - [Remove result](#)

[\[PDF\] Quasi-Constant Envelope Modulations](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

the replacement of the conventional **FQPSK** cross-**Correlator** by this modified ...
dom I and Q data symbol sequences, on the **average**, the transmitted **FQPSK** ...

[descanso.jpl.nasa.gov/Monograph/series3/chapter3.pdf](#) - Supplemental Result - [Similar pages](#) - [Remove result](#)

[\[PDF\] Proceedings, ITC/USA '02](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

by symbol representation of the cross **correlation** operation. As a result, instead
of the crosscorrelator. of the conventional **FQPSK**, the EFQPSK can be ...

[telemetry.nmsu.edu/itc_02_19_1.pdf](#) - [Similar pages](#) - [Remove result](#)

Did you mean to search for: **dqpsk average correlation**

Try your search again on [Google Book Search](#)

Go o o o o o o o o o o g l e ►

Result Page: 1 2 3 4 5 6 7 8 9 **Next**

fqp sk average correlator

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google


[About Us](#)
[Newsroom](#)
[Advisory Board](#)
[Submit Web Site](#)
[Search Tips](#)
[Contact Us](#)
Basic Search
[Advanced Search](#) [Search Preferences](#)

fqpsk AND average AND correlator

☒ Journal sources ☒ Preferred Web sources ☒ Other Web sources ☐ Exact phrase

 Searched for:: :All of the words:**fqpsk AND average AND correlator**

 Found:: :**3 total** | **0 journal results** | **3 preferred web results** | **0 other web results**

 Sort by:: :**relevance** | **date**

- ☐ 1. EFFICIENT SPECTRAL SAVING FQPSK AND FQAM SIGNAL TRANSMISSION AND RECEPTION SYSTEMS
KAMILO, Feher / KAMILO, Feher, PATENT COOPERATION TREATY APPLICATION, Feb 2000
 EFFICIENT SPECTRAL SAVING **FQPSK** AND FQAM SIGNAL TRANSMISSION...Serial No. 60/095,943 entitled "**FQPSK** TRANSCIEVERS"filed 10 August...radiated power relative to the **average** radiated power. For these reasons...patented Quadrature Shift Keying (**FQPSK**). For example, in reference...
Full text available at patent office. For more in-depth searching go to LexisNexis[®] [similar results](#)
- ☐ 2. An ISM-Band Frequency Synthesizer with Closed-Loop GFSK Modulation
Chen, Hsing-Hung, Jul 2001
 An ISM-band frequency synthesizer is introduced in this thesis. The technique allows digital phase/frequency modulation to be achieved in a closed phase locked loop (PLL) without mixers and D/As. According to the simulation results using ADS, quantization ...
Full text thesis available via ND LTD
[similar results](#)
- ☐ 3. ULTRA WIDE BANDWIDTH SPREAD-SPECTRUM COMMUNICATIONS METHOD AND SYSTEM
MCCORKLE, John, W. / ROFHEART, Martin / MCCORKLE, John, W., PATENT COOPERATION TREATY APPLICATION, Dec 2001
 ...MSK, GMSK, BPSK, DBPSK, QPSK, O-QPSK, **FQPSK**, z/4-DEQPSK, and pulse position modulation...nearly impossible, to generate significant **average** power efficiently due to high peaks. For...both systems were broadcasting identical **average** power over essentially identical bandwidths...
Full text available at patent office. For more in-depth searching go to LexisNexis[®] [similar results](#)

 Did you me
 fqpsk avera

 Or refine
 All of the

fast

[Downloads](#) | [Subscribe to News Updates](#) | [User Feedback](#) | [Advertising Test Zone](#) | [Tell A Friend](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Legal](#)

 Powered by **FAST** © Elsevier 2006



Welcome United States Patent and Trademark Office

□ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "((fqpsk<in>metadata) <and> (average<in>metadata))<and> (correlato<in>metad

e-mail print

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

((fqpsk<in>metadata) <and> (average<in>metadata))<and> (correlato<in>metad

Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revisin search.

Indexed by

[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2006 IEEE – All Rights